

N/030482

2 may

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
13 September 2001 (13.09.2001)

PCT

(10) International Publication Number  
**WO 01/67743 A2**

- (51) International Patent Classification<sup>7</sup>: **H04N 5/00** (74) Agent: **GROENENDAAL, Antonius, W., M.**; Internationaal Octrooibureau B.V., Prof Holstlaan 6, NL-5656 AA Eindhoven (NL).
- (21) International Application Number: **PCT/EP01/02276**
- (22) International Filing Date: 28 February 2001 (28.02.2001) (81) Designated States (*national*): CN, JP, KR.
- (25) Filing Language: English (84) Designated States (*regional*): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).
- (26) Publication Language: English
- (30) Priority Data:  
09/521,051 8 March 2000 (08.03.2000) US  
Published:  
— without international search report and to be republished upon receipt of that report
- (71) Applicant: **KONINKLIJKE PHILIPS ELECTRONICS N.V.** [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL).
- (72) Inventor: **BRUYNSTEEN, Geert**; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL).
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*



**WO 01/67743 A2**

(54) Title: **BUSINESS MODEL FOR LEASING STORAGE SPACE ON A DIGITAL RECORDER**

(57) Abstract: The available amount of storage space of a fixed HDD on a CE device is adjustable via a data network. The consumer can upgrade the device via a third party service that remotely control's the HDD's settings.

11/14/05

WO 01/67743

PCT/EP01/02276

1

Business model for leasing storage space on a digital recorder

## FIELD OF THE INVENTION

The invention relates in particular, but not exclusively, to a consumer electronics (CE) apparatus with a storage, e.g., a hard-disk drive (HDD), an optical disk drive (ODD), or a solid state memory for storing content information, such as audio or video.

5 The invention also relates to providing a service relating to the processing of the content information local at the end-user's equipment.

## BACKGROUND ART

A digital video recorder (DVR), also referred to as Personal Video Recorder (PVR) uses a HDD to store digital content information received via satellite, terrestrial or cable communication channels. The digital format allows the information to be processed under software control regardless of the platform. Decoding, error correction and format conversion have become standard operations. The play-out and recording of content information has become user-programmable through electronic program guides (EPG's) or software agents. The content information received through a live broadcast, e.g., via a TV channel or via the Internet can be time-shifted, time-warped, and edited through this recording equipment. An example of such equipment is the PVR system developed by TiVo and manufactured and marketed by Philips Electronics.

20 The TiVo system currently comes with a HDD that has a storage capacity of 13.6 GB or 27.2 GB that enables the consumer to store 14 or 30 hours of video, respectively. The TiVo system uses the MPEG-2 compression algorithm that permits a range of different video-quality settings. The user can adjust the settings according to four quality levels. At the highest setting the quality is that of the near-DVD level. At the lowest setting, the quality is comparable to that of a VHS tape. The 14-hour PVR is able to record 14 hours at the lowest quality, and 4 hours at the highest quality setting.

## SUMMARY OF THE INVENTION

The physical storage capacity of a specific HDD is fixed. To upgrade a PVR to a larger storage capacity requires the PVR to be sent to a dealer or to the manufacturer for

replacing the HDD with a larger one. This means that the end-user has to disconnect the apparatus from the power lines and from home network, bring it or have it shipped to the site that does the upgrading, pick it up or receive it from the delivery service, install and connect it to the network again and possibly re-configure and re-program it. In addition, the consumer  
5 does not have the PVR available during this time period, which may last several weeks.

Within this context the inventor therefore proposes to upgrade the storage capacity in a manner that does not require the apparatus to be disconnected from the home network, shipped, etc. The inventor proposes a business model wherein the apparatus has already got a relatively large HDD when acquired by the end-user, but whose capacity is  
10 controllable through software. For example, the HDD has a swing arm whose range of travel is controlled through software. The range determines which area(s) of the disk are accessible for reading or writing. Alternatively or supplementarily, different compression algorithms are selected through software so as to determine the time available for recording. The upgrade is now obtained through replacing or adjusting the software from a server, e.g., via the Internet,  
15 upon the user paying a fee. Alternatively, the software upgrade can be leased temporarily or made part of, e.g., a video-on-demand service or audio-on-demand service.

Accordingly, the end-user is given the advantage of a simple upgrade. The manufacturer or dealer is given the advantage that upgrades are far less time-consuming and can be done automatically via the Internet. In addition, identical apparatus can be  
20 manufactured and offered for sale for different prices depending on the software control of the HDD's storage space.

The invention allows a method of doing business by leasing or selling storage capability for, e.g., for recording video or audio via a data network such as the Internet.

What has been explained above with regard to HDD-based storage capabilities  
25 is also applicable, mutatis mutandis, to storage provided by, e.g., solid state memories or storage provided by a recordable optical disks. For example, the storage capacity is segmented and access to one or more segments is determined by software under control of, or upgradeable by, the manufacturer or the dealer or the content provider. Similarly, various compression algorithms associated with respective upgrades can be remotely enabled by the  
30 manufacturer, the dealer or the content provider. As an alternative, a data format of the content information is adjustable while the information is being stored, e.g., by selectively clipping one or more of the least-significant bits per word or byte.

In a more general sense, the invention relates to a method of enabling an end-user to locally process content information on his or her information-processing system, e.g.,

a CE audio/video system or a home theater. The quality level of the processing is remotely adjustable by a service provider. For example, the end-user obtains a higher quality of the processing in return for a higher fee. Preferably, the quality is adjustable via a data network, such as the Internet. The end-user's information-processing system comprises an apparatus  
5 for this local processing, e.g., a set-top box, a convergence product such as the DVX8000 of Philips Electronics or another home theater control system or a PTV. The apparatus has a data network capability for the remote adjusting, e.g., it has Internet access. For example, the local processing comprises the playing out of audio or video content information; and the quality level of the playing out is remotely adjustable by the service provider, dependent on,  
10 e.g., a subscription fee. The quality of the playing out of the digital audio or video content can be controlled by, for example, the extent of the clipping of the digital words by selectively discarding one or more of the least significant bits in the digital to analog conversion, or by adding noise or by removal of previously added noise, etc.

Especially with regard to the rapidly increasing retrieval of content  
15 information from the Web and the seemingly unlimited distribution capabilities of the Internet at the expense of, e.g., the authors and other copyright owners, a remotely controlled play-out quality may have attractive aspects for all parties involved.

In case the local processing comprises locally storing the content information the quality of the storing can be made remotely adjustable by the service provider, for  
20 example by regulating a storage capacity available to the end-user. This can be done, as explained earlier by providing end-user access to a selected portion of a local storage. If the local storage comprises a HDD or an ODD the storage capacity is regulated by controlling a range of travel of a mechanical component, e.g., the swing arm, of the HDD or ODD. If the local storage comprises a solid state memory the storage capacity can be regulated by  
25 controlling an address range of the memory.

Alternatively, or in addition, the regulating of the storage capacity may comprise controlling a data format of the content information during the local storing. The clipping has been mentioned above. Another example is the use of different encryption or compression algorithms for writing the data to the storage. Some provide a higher play-out  
30 quality (e.g., CD-like quality) than others (e.g., MP3-like quality). The algorithms are present at the end-user's equipment and can be selectively enabled by a remote server communicating with the equipment under control of the service provider.

In a business model, content information is made available via the Internet together with, or separately from, the software for play out decoders or controllers in case of

the remotely adjustable rendering. In a business model, content information is made available via the Internet together with, or separately from, the software for the software for the storage decoders or storage controllers in case of the remotely adjustable storage capacity. The software can be tied to the specific information content, e.g., by a common time stamp or a unique combination of IDs. The decoders or controllers for the higher quality are, for example, only valid on a certain machine or during a predetermined time interval and for a higher fee.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The invention is explained by way of example and with reference to the accompanying drawings, wherein:

Figs.1 and 2 are block diagrams of systems in the invention.

Throughout the figures, same reference numerals indicate similar or corresponding features.

#### DETAILED EMBODIMENTS

Fig.1 is a block diagram of a first system 100 in the invention. System 100 comprises a CE equipment or apparatus 102 that includes a data recording functionality. A source 104 supplies content information in a digital format, such as audio or video, to apparatus 102. Apparatus 102 has a data storage 106 for recording the content information via a data read/write unit 108. Unit 108 is also used for reading the data stored for play-out. Storage 106 has a fixed storage capacity that is divided into multiple segments 110, 112, ..., 114. A conditional access controller 116 determines which of segments 110-114 is or are accessible to read/write unit 108. Controller 116 has an input 118 for receiving control data for setting an access mode of recording system 102. In the illustrated example, controller 116 controls read/write unit 108 through, e.g., selectively controlling the address range of the address decoder (not shown) of unit 108. Alternatively or in addition, controller 116 disables or enables address bits on or more inputs to storage 106, or selects one of multiple compression algorithms for writing the content information to storage 106. Apparatus 102 has these algorithms installed preferably beforehand. Different algorithms need different amounts of memory space to store the initially the same content. Controller input 118 receives the control data from a server 120 via a data network 122, e.g., the Internet. The

control data regulate the storage space or segment(s) available to the end-user, or the efficiency of the storing via the selected algorithm.

Server 120 in this example is under control of the manufacturer or supplier of apparatus 102. For a higher price or higher fee, the end-user purchases or leases apparatus 102 with effectively a higher storage capacity. Upgrades are easily implemented later on upon a user request 124 sent to server 120, together with an authorization for an additional payment made to the supplier or service provider.

User request 124 is sent via apparatus 102 or another suitable device, e.g., a set-top box or a PC with Internet access. Alternatively, the user can dial in to the server and state his/her preferences via, e.g., a touch-tone driven menu.

The content information can, but need not, be provided by the same service provider, who controls the adjusting of the storage space available to the end-user. For example, a scenario is feasible wherein the service provider controls both the available storage space and the supply of content information, e.g., via the Internet or via cable, the content information can be labeled in such a way as to automatically determine the effective size of the storage space available, either through selective access to segments 110-114 or through specific compression algorithms. For example, upon downloading the content information in labeled partitions from source 104 (e.g., via server 120), the labels determine the compression algorithm and therefore the quality of the content information as stored. As another example, the user sends a request for specific content information to the service provider and wants a suitable amount of temporary local storage space for recording the content information requested. The user pays a fee and the service provider enables access to a larger portion of storage 106 under appropriate control of controller 116. The user thus is allowed to temporarily access the stored content information, but on expiry of the lease time, read-access to the whole or parts of the content information as stored is denied or its content is overwritten via appropriate control of controller 116, either through commands or executing a software program local to apparatus 102 under control of the service provider.

In another scenario, the manufacturer or dealer provides the service of upgrading the storage space available to the end-user upon the latter's request. For example, the end-user submits a request for a larger storage, e.g., through email or via the telephone, connects apparatus to the Internet if it was not already connected, so that storage 106 can get remotely adjusted, and awaits a confirmation that adjustment is successfully completed, e.g., by an automatic visual indication (an LED, for example) generated at apparatus 102 itself under control of, e.g., controller 116.

Controller 116 and read/write unit 108 can be supplied as a secure module for preventing an unauthorized person tampering with its innards.

Fig.2 is a block diagram of another system 200 in the invention. System 200 comprises a play-out apparatus 202, such as an audio player or a video player or an entire home theater. System 200 further comprises source 104 for supply of content information to apparatus 202 for subsequent play-out via an output 204 of apparatus 202. Output 204 comprises for example a display monitor or loudspeaker system. The content information from source 104 is processed by a rendering circuit 206 to make play out possible. Rendering circuit 206 is controlled via a controller 208 that conditionally regulates the rendering by circuit 206. Controller 208 has an input 210 connected to a server 120 on the Internet 122. Server 120 sets the rendering mode of rendering circuit 206 through controller 208 and via the Internet 122 upon request 124 from the end-user. For example, source 104 streams video data via cable or via the Internet 122 to apparatus 202. Controller 208 can be set through server 120 to be operational only for a certain period of time, e.g., to let the user get a preview or to permit watching the videos from source 104 for the duration of a subscription to be renewed periodically. In another scenario, the user can specify the resolution or color depth of the video to be rendered at output 204. The pixel depth indicates the number of different pixel values, e.g., different colors or different grey levels, that a particular pixel can assume. Upon paying a fee according to the quality level desired, circuit 206 processes the data under control of controller 208 that in turn got instructed via server 120. In yet another scenario, source 104 comprises a DVD with a unique identifier conditionally acceptable by rendering circuit 206 for processing. Server 120 instructs controller 208 according to the fee paid by the user and the business model applied to conditionally render the DVD. In this manner, the play-out quality can be controlled depending on what the end-user is willing to pay. Also, in a same model the user can be given conditional access to one or more segments of the content information stored on the DVD. In yet another scenario, the manufacturer can remotely upgrade the rendering quality in dependence on what the user wants to spend on apparatus. In still another scenario, various levels of play-out quality can be leased dependent on the type of content information supplied. For example, a recording of a sports match may require not so high a video play-out quality as, e.g., a modern movie. Resolution or color depth can be regulated by, e.g., clipping the bits.

Controller 208 may be part of a PC or a dedicated embedded processing system or graphics processor for providing the processing power that is adequate to handle the video data for the purpose of regulating the resolution or color depth.

Again, source 104 and server can be controlled by the service provider, or can alternatively be stages in a distributed commerce system.

The invention provides a manner to better control copyright protection.

The expressions "service provider", "manufacturer" and "dealer" have been  
5 used herein to indicate in general, within the relevant context, the third party under whose supervision the quality level is remotely adjusted of the processing of the content information carried out locally at the end-user's equipment.

Incorporated herein by reference are the following patent documents:

- U.S. serial no..... (attorney docket PH-US 000014) filed ... for Erik Ekkel et  
10 al., for PERSONALIZING CE EQUIPMENT CONFIGURATION AT SERVER VIA WEB-ENABLED DEVICE. This document relates to the configuring of CE equipment by the consumer. The setting up of the configuration is facilitated by means of delegating the configuring to an application server on the Internet. The consumer enters his/her preferences in a specific interactive Web page through a suitable user-interface of an Internet-enabled  
15 device, such as a PC or set-top box or digital cellphone. The application server generates the control data based on the preferences entered and downloads the control data to the CE equipment itself or to the Internet-enabled device.

- U.S. serial no. 09/160,490 (attorney docket PHA 23,500) filed 9/25/98 for  
Adrian Turner et al., for CUSTOMIZED UPGRADING OF INTERNET-ENABLED  
20 DEVICES BASED ON USER-PROFILE. This document relates to a SmartConnect (TM) server system that maintains a user profile of a particular end-user of consumer electronics network-enabled equipment. The server also maintains a data base of new technical features for this type of equipment. If there is a match between the user-profile and a new technical feature, and the user indicates to receive information about updates or sales offers, the user  
25 gets notified via the network of the option to obtain the feature.

- U.S. serial no. 09/189,535 (attorney docket PHA 23,527) filed 11/10/98 for  
Eugene Shteyn for UPGRADING OF SYNERGETIC ASPECTS OF HOME NETWORKS. This document relates to a server that has access to an inventory of devices and capabilities on a user's home network. The inventory is, for example, a look-up service as provided by  
30 HAVi or Jini architecture. The server has also access to a data base with information of features for a network. The server determines if the synergy of the apparatus present on the user's network can be enhanced based on the listing of the inventory and on the user's profile. If there are features that are relevant to the synergy, based on these criteria, the user gets notified.



- U.S. serial no. 09/349,676 (attorney docket PHA 23,681) filed 7/8/99 for Kristen Ondeck for AFTER-SALES CUSTOMIZATION SPECIFIED BY RETAILER ACTS AS INCENTIVE. This document relates to a method of doing business that enables to stimulate commercial activities. A customer notifies a manufacturer or a dedicated service  
5 provider, of the purchase of merchandise from a specific retailer. Upon being notified, the manufacturer or service provider customizes a portal or home page for the customer by temporarily adding an advertisement banner associated with the retailer.

- U.S. serial no. 09/283,545 (attorney docket PHA 23,633) filed 4/1/99 for Eugene Shteyn for TIME- AND LOCATION-DRIVEN PERSONALIZED TV. This  
10 document relates to a method of enabling a user to access content information (e.g., video, audio). The method enables the user to select the content information, e.g., from an electronic program guide relating to a broadcast or multicast service. The selected content information gets recorded when it is broadcasted or multicasted. The method enables the user to select in advance at least a specific one from multiple geographically different locations at which the  
15 recorded, selected content information will be made available for play-out. Preferably, the invention also enables the user to specify a time frame for making the recorded content information available for play-out at the specific location. The content information can be recorded at a first recording system, e.g., at a server, whereafter the recorded selected content information is streamed over a data network, e.g., over the Internet or a private network like  
20 AOL, from the first recording system to the location specified by the user. If the specific location has a second recording system, the streaming uses a low-bandwidth protocol so as to keep Internet bandwidth usage low while recording at the second recording system. Accordingly, this method lets the user specify in advance a location for play-out of a specific broadcast or multicast program pre-recorded in response to the user's selection, and has the  
25 content made available to him or her at that location. For example, the user can specify that he or she will be, e.g., at the house of a relative, at a specific hotel, on a particular flight of a specific airline, in a specific bar, a particular restaurant, etc., at a specific time period, and request that the content be recorded at this location. This requires that these other locations be integrated in the infrastructure of the service mentioned above. The programs of a TV  
30 broadcasts are typically regional or local. If the user is traveling outside the region or the time zone, he or she may request to search for an identical program broadcasted in the new region, or a program of a similar content, or a program with identical or similar content but closer in time to the intended play-out, and record that program at a recording device in the pre-specified location.



- U.S. serial no. 08/987,696 (attorney docket PHD 96,199), now allowed, and filed 12/9/97 for Wolfgang Zander for SYSTEM FOR DOWNLOADING SOFTWARE. This document relates to a system for replacing old software resident on an apparatus by new software via e.g., the Internet. The system has a control circuit and a storage device for  
5 storing the software. The system has a loading device for delivering the new software to the storage device. The control circuit stores the new software in the storage device after reception of an appropriate instruction. The new software comprises system software, at least consisting of operating software and downloading software. The new software also comprises  
10 new application software for controlling a component coupled to the module. During operational use of the component a first part of the storage device stores the new system software and a second part of the storage device stores the new application software. During the downloading of the new system software the control circuit erases the first part of the storage device, after the storage of the new system software in the second part of the storage device. The control circuit transfers subsequently the new system software from the second  
15 part to the first part of the storage device.

## CLAIMS:

1.           A method of enabling an end-user to locally process content information at a quality level remotely adjustable by a service provider.
2.           The method of claim 1, wherein the end-user receives a higher quality in  
5   return for a higher fee.
3.           The method of claim 1, wherein the quality is adjustable via a data network.
4.           The method of claim 3, wherein the end-user has an apparatus for the local  
10   processing that is connectable to the data network for the remote adjusting.
5.           The method of claim 1, wherein:
  - the local processing comprises playing out of the content information; and
  - the quality level of the playing out is remotely adjustable by the service provider.15
6.           The method of claim 5, wherein:
  - the content information comprises video data;
  - the quality level relates to at least one of a color depth and a resolution of the video data when rendered.20
7.           The method of claim 1, wherein:
  - the local processing comprises locally storing the content information; and
  - the quality of the storing is remotely adjustable by the service provider.
8.           The method of claim 7, wherein the adjusting of the quality of the storing  
25   comprises regulating a storage capacity available to the end-user.
9.           The method of claim 8, wherein the regulating of the storage capacity  
comprises providing end-user access to a selected portion of a local storage.

10. The method of claim 9, wherein:
- the local storage comprises a HDD; and
  - the storage capacity is regulated by controlling a mechanical component of the HDD.
- 5
11. The method of claim 9, wherein:
- the local storage comprises a solid state memory; and
  - the storage capacity is regulated by controlling an address range of the memory.
- 10
12. The method of claim 9, wherein:
- the local storage comprises an ODD; and
  - the storage capacity is regulated by controlling a mechanical component of the ODD.
13. The method of claim 8, wherein the regulating of the storage capacity
- 15 comprises controlling  
a data format of the content information during the storing.
14. A CE apparatus for processing content information, wherein:
- the apparatus enables a user to select a specific one of multiple quality levels of the
- 20 processing; and
- the apparatus comprises a controller for setting the specific quality level in responsive to a  
signal supplied by a third party.
15. The apparatus of claim 14, comprising an input for receiving the signal from a
- 25 server via a data network
16. The apparatus of claim 14, wherein:
- the processing comprises user-controllable recording of the information content;
  - the apparatus comprises a storage for the recording;
- 30
- the specific quality level determines a specific storage capacity available to the user; and
  - the controller is coupled to the storage for setting the specific storage capacity under control  
of the signal.

17. The apparatus of claim 16, wherein the storage comprises at least one of: a HDD, an ODD and a solid state memory.
18. The apparatus of claim 14, wherein:
- 5 - the processing comprises playing out the content information;  
- the apparatus comprises a circuit for rendering the content information;  
- the controller is coupled to the data rendering circuit for setting the specific quality of the rendering under control of the signal.
- 10 19. The apparatus of claim 18, wherein:
- the content information comprises video data;  
- the specific quality determines at least one of a resolution of the rendered content information and a color depth of the rendered content information.
- 15 20. A method of doing business comprising remotely modifying a quality of a functionality of a CE apparatus of an end-user through software control via a data network.



(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau




(43) International Publication Date  
13 September 2001 (13.09.2001)

PCT

(10) International Publication Number  
**WO 01/67743 A3**

- (51) International Patent Classification<sup>7</sup>: **H04N 5/00.** 7/24, 7/16
- (21) International Application Number: **PCT/EP01/02276**
- (22) International Filing Date: 28 February 2001 (28.02.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 09/521,051 8 March 2000 (08.03.2000) US
- (71) Applicant: **KONINKLIJKE PHILIPS ELECTRONICS N.V.** [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL).
- (72) Inventor: **BRUYNSTEEN, Geert**; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL).
- (74) Agent: **GROENENDAAL, Antonius, W., M.**; Internationaal Octrooibureau B.V., Prof Holstlaan 6, NL-5656 AA Eindhoven (NL).
- (81) Designated States (*national*): CN, JP, KR.
- (84) Designated States (*regional*): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).
- Published:  
— with international search report
- (88) Date of publication of the international search report:  
3 January 2002
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: **BUSINESS MODEL FOR LEASING STORAGE SPACE ON A DIGITAL RECORDER**



(57) Abstract: The available amount of storage space of a fixed HDD on a CE device is adjustable via a data network. The consumer can upgrade the device via a third party service that remotely control's the HDD's settings.

WO 01/67743 A3

# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/EP 01/02276

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 7 H04N5/00 H04N7/24 H04N7/16

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)  
IPC 7 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 785 686 A (MATSUSHITA ELECTRIC IND CO LTD) 23 July 1997 (1997-07-23) page 4, column 5, line 51 -column 6, line 25 page 5, column 8, line 7 -page 6, column 9, line 10 ---	1-7, 14, 15, 18-20
X	EP 0 751 685 A (CANON KK) 2 January 1997 (1997-01-02) page 5, column 8, line 49 -page 7, column 12, line 5 ---	1-5
A	WO 97 37492 A (MACROVISION CORP ;WONFOR PETER J (US); NELSON DEREK (US)) 9 October 1997 (1997-10-09) page 3 -page 16 -----	1, 5, 6

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

**\* Special categories of cited documents:**

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*&\* document member of the same patent family

Date of the actual completion of the international search

5 September 2001

Date of mailing of the international search report

18/09/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Marie-Julie, J-M



# INTERNATIONAL SEARCH REPORT

Information on patent family members

Intel. Application No

PCT/EP 01/02276

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0785686 A	23-07-1997	JP 9205630 A CN 1168601 A KR 260287 B	05-08-1997 24-12-1997 01-07-2000
EP 0751685 A	02-01-1997	JP 9018852 A JP 9046678 A JP 9046680 A AU 726870 B AU 5629296 A CA 2179973 A CN 1146110 A SG 48461 A SG 54610 A SG 53134 A US 6275988 B	17-01-1997 14-02-1997 14-02-1997 23-11-2000 09-01-1997 31-12-1996 26-03-1997 17-04-1998 16-11-1998 28-09-1998 14-08-2001
WO 9737492 A	09-10-1997	AT 195207 T AU 710897 B AU 2428797 A BR 9708361 A CA 2250791 A DE 69702709 D DE 69702709 T DK 891669 T EP 0891669 A ES 2150243 T GR 3034666 T JP 2000508142 T NZ 331727 A PT 891669 T	15-08-2000 30-09-1999 22-10-1997 03-08-1999 09-10-1997 07-09-2000 05-04-2001 18-12-2000 20-01-1999 16-11-2000 31-01-2001 27-06-2000 29-04-1999 31-01-2001